Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	6	S1 and (extension near3 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:23
S4	187	((table or list) near3 (file adj2 extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:24
S8	138	(extension same (print\$5 near3 (ready or readily or compatib\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:25
S7	1	S6 and (extension same (print\$5 near3 (ready or readily or compatib\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:25
S9	3	S8 and (compar\$5 near5 (extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:26
S14	14	("5893116" "6020973" "6026258" "6089765" "6181436" "6249226" "6404772" "6412022" "6431772" "6469796" "6487189" "6513073" "6542173" "6581098").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/06 09:34
S13	0	("6976101").URPN.	USPAT	OR	ON	2006/02/06 09:34
S6	198	((table or list) near3 (file adj2 (suffix or ending or extension)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:35
S11	8	S6 and (compar\$5 near5 (extension)) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:39
S17	10	S16 and (print\$5 near3 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:40
S16	112	S15 and (compar\$5 near5 (extension or suffix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:40

S10	21	S6 and (compar\$5 near5 (extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:40
S3	1	S1 and (extension same (print\$5 near3 (ready or readily or compatib\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:47
S18	10	S15 and ((suffix or extension) same (print\$5 near3 (ready or readily or compatib\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:49
S15	3182	((table or list) same (file) same (suffix or extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:50
S20	3606	((table or list or listing or array or lut or lookup or look-up) same (file) same (suffix or extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:51
S19	13	S15 and ((suffix or extension) same (print\$5 near3 (capable or capability or ready or readily or compatib\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:55
S22	334	((suffix or extension) same (print\$5 near3 (capable or capability or ready or readily or compatib\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:56
S21	13	S20 and ((suffix or extension) same (print\$5 near3 (capable or capability or ready or readily or compatib\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:56
S12	8	((table or list) near3 (file adj2 (suffix or ending or extension))) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:57
S24	2	"6606163".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:10
S25	1	"6606163".pn. and (format same a same b same c)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:20

S26	1	"6606163".pn. and (format same	US-PGPUB:	OR	ON	2006/02/06 10:22
320	•	compar\$5 same (a or b or c))	USPAT; EPO; JPO; DERWENT; IBM_TDB		OIV	2000/02/00 10.22
S27	1	"6606163".pn. and (format same compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:23
S30	0	"6606163".pn. and list\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:42
S29	0	"6606163".pn. and list45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:42
S28	1	"6606163" pn. and (plural\$5 near3 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:42
S31	1.	"6606163" pn. and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:44
S33	1	"6606163".pn. and (output near2 bin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:45
S32	1	"6606163".pn. and (format same name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:45
S34		"6606163".pn. and (bin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:46
S36	0	"6606163".pn. and (plural\$5 near2 format\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:47
S35	1	"6606163".pn. and (document adj2 format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:47

627	1	"GEOGLES" on and (plurales with	US-PGPUB:	OB	ON	2006/02/00 40-50
S37	1	"6606163".pn. and (plural\$5 with format\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:50
S38	1	"6606163".pn. and (specif\$9 near3 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:51
S40	1	"6606163".pn. and (print\$5 adj2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:52
S39	2	"6606163".pn. and (specif\$9 near3 output\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:52
S44	0	"6606163".pn. and (print\$5 near3 (multipl\$5 near3 format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:53
S43	1	"6606163".pn. and (output near2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:53
S42	2	"6606163".pn. and (output ner2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:53
S41	1	"6606163".pn. and (output adj2 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:53
S46	0	"6606163".pn. and ((multipl\$5 near3 format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:54
S45	0	"6606163".pn. and (print\$5 same (multipl\$5 near3 format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:54
S47	. 1	"6606163".pn. and ((format\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:06

S48	2	"20020051148".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:07
S49	2	"20020051181".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:20
S50	1	"20020051181".pn. and (receiv\$5 same color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:43
S52	281	maei.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:46
S51	41	kisono.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:46
S53		maei.in. and orita.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:47
S54	3606	((table or list or listing or array or lut or lookup or look-up) same (file) same (suffix or extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:46
S23	3	S22 and (compar\$5 near3 (suffix or ending or extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:47
S58	10	S56 and ((suffix or ending or extension) same print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:53
S55	1185	((table or list or listing or array or lut or lookup or look-up) with (file) with (suffix or extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:56
S59	16621	((table or list or listing or array or lut or lookup or look-up) with (file or document) with (suffix or extension or format\$5 or type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:57

			· · · · · ·			
S57	8	S56 and ((suffix or ending or extension) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:57
S56	93	S55 and ((match\$5 or compar\$5) near3 (suffix or ending or extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:57
S64	80	S63 and ((print\$5 near3 (ready or readily or compatib\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:58
S62	551	S61 and ((suffix or ending or extension or format\$5 or type) with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:58
S5	1	S4 and (extension same (print\$5 near3 (ready or readily or compatib\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:58
S63	294	S61 and ((suffix or ending or extension or format\$5 or type) near2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:59
S65	16	S61 and ((ready or readily or compatib\$5) near4 (suffix or ending or extension or format\$5 or type) near2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:02
S67	91	S61 and ((ready or readily or compatib\$5) near3 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:03
S66	16	S61 and ((ready or readily or compatib\$5) near4 (suffix or ending or extension or format\$5 or type) near5 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:03
S61	2449	S59 and ((match\$5 or compar\$5) near3 (suffix or ending or extension or format\$5 or type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:18
S69	1	"757151".ap. and postscript	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:19

S68	4	S59 and (((match\$5 or compar\$5) near3 (suffix or ending or extension or format\$5 or type)) same ((ready or readily or compatib\$5) near3 print\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:30
S70	5	S59 and (((match\$5 or compar\$5) near3 (suffix or ending or extension or format\$5 or type)) same ((ready or readily or compatib\$5 or support\$5) near3 print\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:31
S71	5	S59 and (((match\$5 or compar\$5) near3 (suffix or ending or extension or format\$5 or type)) same ((ready or readily or compatib\$5 or support\$5) near3 ((output\$5 near2 device) or print\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:32
S72	186	S59 and (((match\$5 or compar\$5) near3 (suffix or ending or extension or format\$5 or type)) and ((ready or readily or compatib\$5 or support\$5) near3 ((output\$5 near2 device) or print\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:33
S74	2	"5768483".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:10
S73	140.	S59 and (((match\$5 or compar\$5) near3 (suffix or ending or extension or format\$5 or type)) and ((support\$5) near3 ((output\$5 near2 device) or print\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:10
S75	1	"5768483".pn. and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:11
S76	1	"5768483".pn. and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:12
S77	1	"6606163".pn. and (compar\$5 or match\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:14
S60	182	S59 and ((match\$5 or compar\$5) near3 (suffix or ending or extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:15

		·				
S80	13	((match\$5 or compar\$5) near3 (file) near5 (suffix or extension)) with format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:16
S79	23	((match\$5 or compar\$5) near3 (file) near5 (suffix or extension)) same format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:16
S82	1	"6606163".pn. and document\$5format\$5 and (document adj attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:19
S81	1	"6606163" pn. and document adj2 format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:19
S84		"6606163".pn. and document\$5format\$5 and ((attribute) same name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:20
S83	1	"6606163".pn. and document\$5format\$5 and ((document adj attribute) same name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:20
S78	1	"6606163".pn. and (compar\$5 or match\$5) and format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:41
S85	1	"6606163".pn. and judg\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:42
S88	1.	("6785867").URPN.	USPAT	OR	ON	2006/02/06 14:53
S87	2	"6785867".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:53
S86	1	"6606163".pn. and judg\$5 with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:53
S89	11	("5377354" "5555346" "5608874" "5613108" "5734901" "5781901" "5805811" "5818447" "5826023" "5826062" "6405225") PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/06 14:54

S1	140	(list near3 (file adj2 extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2006/02/06 14:58
S92	1	((list\$3 near3 (file adj2 (suffix or extension))) near4 ((ready or readily or support\$5 or compatib\$9)) same (compar\$5 or match\$5))	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:01
S91	1	((list\$3 near3 (file adj2 (suffix or extension))) near4 (print\$5 near5 (ready or readily or support\$5 or compatib\$9)) same (compar\$5 or match\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:01
S95	207	((list\$3 same ((suffix or extension))) same ((ready or readily or support\$5 or compatib\$9)) same (compar\$5 or match\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:02
S94	1	((list\$3 same ((suffix or extension))) near4 ((ready or readily or support\$5 or compatib\$9)) same (compar\$5 or match\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:02
S93	1	((list\$3 near3 ((suffix or extension))) near4 ((ready or readily or support\$5 or compatib\$9)) same (compar\$5 or match\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ΟŃ	2006/02/06 15:02
S97	61	((plural\$5 near3 ((suffix or extension))) same ((ready or readily or support\$5 or compatib\$9)) same (compar\$5 or match\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:04
S96	8	((list\$3 near3 ((suffix or extension))) same ((ready or readily or support\$5 or compatib\$9)) same (compar\$5 or match\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:04
S98	1	((plural\$5 near3 ((suffix or extension))) same ((ready or readily or support\$5 or compatib\$9)) same (compar\$5 or match\$5)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:05
S99	5	((plural\$5 near3 print\$5 near3 (suffix or extension)) and ((compar\$5 or match\$5) near4 (suffix or extension)) and print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:08
S10 0	4	((compar\$5 or match\$5) near5 name near3 (suffix or extension)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:10

S10 2	0	((compar\$5 or match\$5) near5 (suffix or extension) near5 (postscript or pdf or interpress)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:11
S10 1	1	((compar\$5 or match\$5) near5 (suffix or extension) near5 (postscript or ps)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:11
S10 4	354	((compar\$5 or match\$5 or determin\$7) near5 (suffix or extension)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:13
S10 3	2	((compar\$5 or match\$5 or determin\$7) near5 (suffix or extension) near5 (postscript or pdf or interpress)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:13
S10 5	6	S104 and (list\$3 near3 (file adj2 extension))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:14
S90	1	((list\$3 near3 (file adj2 extension)) near4 (print\$5 near5 (ready or readily or support\$5 or compatib\$9)) same (compar\$5 or match\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:14
S10 9	0	"6934044".pn. and filename	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:49
S10 8	0 .	"6934044".pn. and file near2 name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:49
S10 7	1	"6934044".pn. and file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:49
S10 6	1	"6934044".pn. and path\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:49
S11 1	0	"6934044".pn. and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:50

	·		-	r		
S11 0	0	"6934044".pn. and name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 15:50
S11 2	2	"6606163".рп.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:54
S11 3	1	"6606163".pn. and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:55
S11 5	1	"6606163".pn. and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:58
S11 8	0	"6934044".pn. and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:59
S11 7	1	"6934044".pn. and path\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:59
S12 0	0	"6782402".pn. and filename	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:00
S11 9	0	"6782402".pn. and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:00
S11 6	2	"6782402".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:00
S12 2	1.	"6782402".pn. and ((file adj name) same path\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:01
S12 1	1	"6782402".pn. and file adj name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:01

S12	1	"6782402".pn. and ((file adj name)	US-PGPUB;	OR	ON	2006/02/07 11:02
9		with path\$9 with receiv\$9)	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S12 8	0	"6782402" pn. and ((file adj name) with path\$9 with receiv\$9) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:02
S12 7	0	"6782402".pn. and ((file adj name) with path\$9 with receiv\$9) same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:02
S12 6	0	"6782402".pn. and ((file adj name) with path\$9 with receiv\$9) same client same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:02
S12 5	1	"6782402".pn. and ((file adj name) with path\$9 with receiv\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:02
S12 4	1	"6782402".pn. and ((file adj name) with path\$9 same receiv\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:02
S12 3	1.	"6782402".pn. and ((file adj name) same path\$9 same receiv\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:02
S13 0	1	"6606163".pn. and file adj2 name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:07
S11 4	1	"6606163".pn. and path\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:07
S13 1	1	"6606163".pn. and file near2 name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:15
S13 3	0	"6934044".pn. and (file near5 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:45

						
S13 2	2	"6934044".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:45
S13 4	1.	"6934044".pn. and (file same server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/02/07 11:50
S13 7	1	"6934044".pn. and path\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:51
S13 6	0	"6934044" pn. and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:51
S13 5	0	"6934044".pn. and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:51